

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,841,678 B2

APPLICATION NO. : 10/628,927

ISSUED DATE : January 11, 2005

INVENTOR(S) : Valeriano MERLI et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

NO  
[Column 6, line 2, change "~~hypohalus~~" to ~~--hypohalous--~~]

Column 8, line 33, change "NaClO" to --NaOCl-- A

Column 8, line 60, change "if" to --is-- A

Column 9, line 12, change "autosamp,er" to --autosampler-- A

Column 11, line 63, change "hypohalus" to --hypohalous--

Column 11, line 66, change "hypohalus" to --hypohalous--

**MAILING ADDRESS OF SENDER**

Kenyon & Kenyon  
One Broadway  
New York, NY 10004

**Patent No. 6,841,678 B2**

No. of add'l. copies

@ 30 ¢ per page

Ψ \_\_\_\_\_

FORM PTO 1050 (REV 3.82) MODIFIED

OCT 25 2005



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents  
United States Patent and Trademark Office  
P.O. Box 1450  
Alexandria, VA 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

Date Mailed : October 31, 2005

Patent No. : 6,841,678 B2

Inventor : Merli, Valeriano et al

Patent Issued : January 11, 2005

Title : PREPARATION OF 1H-IMIDAZO [4,5-C] QUINOLIN-4-AMINES...

Docket No. : 2664/60803

Re: Request for Certificate of Correction

Consideration has been given your request for the issuance of a certificate of correction for the above-identified patent under the provisions of Rule 1.322.

Inspection of the file of the application for the patent reveals that column 6, line 2 of the specification, is/are printed in accordance with the record in the Patent and Trademark Office, as passed to issue by the examiner. No word spelled "hypohalus" is found at that location. There being no fault on the part of the Patent and Trademark Office, it has no authority to issue a certificate of correction under the provision of 1.322.

In view of the foregoing, your request for certificate of correction is hereby denied.

A certificate of correction will be issued to correct the error(s) noted in your request.

Future correspondence concerning this matter should be filed and directed to Decisions & Certificates of Correction Branch.

Commissioner of Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450  
Attn: Certificates of Correction Branch

David Irvine  
Cecilia Newman, Supervisor  
Decisions & Certificates of Correction Branch  
703/308-9590 or 703/305-4362

Alan P. Force  
Kenyon & Kenyon  
One Broadway  
New York, New York 10004

CBN/ di